



# SARAS 4.0

## School Affiliation Re-Engineered Automation System



### APPENDIX -IX

### MANDATORY PUBLIC DISCLOSURE

#### A : GENERAL INFORMATION :

SL NO.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	J NAVODAYA VIDYALAYA CANACONA SOUTH GOA
2	AFFILIATION NO.(IF APPLICABLE)	2840001
3	SCHOOL CODE (IF APPLICABLE)	34804
4	COMPLETE ADDRESS WITH PIN CODE	JAWAHAR NAVODAYA VIDYALAYA, CANACONA,MASTIMOL, SOUTH GOA, GOA (SOUTH), - 403702
5	PRINCIPAL NAME	ANIMESH PAL
6	PRINCIPAL QUALIFICATION	M. SC AND M. ED.
7	SCHOOL EMAIL ID	jnvsouthgoa@gmail.com
8	CONTACT DETAILS (LANDLINE/MOBILE)	8617001154

#### B : DOCUMENTS AND INFORMATION:

SL NO.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-</a>

3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>
7	COPY OF THE SELF CERTIFICATION SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATION	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>

**NOTE:**

THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

**C : RESULT AND ACADEMICS :**

SL NO.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/about_us/About-JNV/</a>

		<a href="#">calendar/</a>
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/administration/Vidyalaya-Management-Committee">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/administration/Vidyalaya-Management-Committee</a>
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/administration/Vidyalaya-Level-Committees/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/administration/Vidyalaya-Level-Committees/</a>
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	<a href="https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/exam-and-class-result/Results/">https://www.navodaya.gov.in/nvs/nvs-school/SOUTHGOA/en/exam-and-class-result/Results/</a>

**D : STAFF (TEACHING) :**

SL NO.	INFORMATION	DETAILS
1	PRINCIPAL	ONE
2	TOTAL NO. OF TEACHERS	26
	PGT	8
	TGT	14
	PRT	0
3	TEACHERS SECTION RATIO	2.00
4	DETAILS OF SPECIAL EDUCATOR	0
5	DETAILS OF COUNSELLOR AND WELLNESS TEACHER	VACANT

**RESULT CLASS: X**

SL NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2023	79	79	100	

SL NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2023	46	46	100	

E : SCHOOL INFRASTRUCTURE:

SL NO.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQ MTR)	63200
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	12 & 64
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	4 & 81
4	INTERNET FACILITY	YES
5	NO. OF GIRLS TOILETS	30
6	NO. OF BOYS TOILETS	46
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	<a href="https://youtu.be/dp9vSFagyPU">https://youtu.be/dp9vSFagyPU</a>

SAVE PDF



केन्द्रीय माध्यमिक शिक्षा बोर्ड  
Central Board of Secondary Education  
संबद्धता - School Affiliation Re-engineered Automation System 2.0 (SARAS 2.0)



**Details OF SCHOOL AFFILIATED TO**  
Central Board of Secondary Education  
**Details Of The School Filled up AFFILIATION/OASIS**

Name of Institution	JAWAHAR NAVODAYA VIDYALAYA
Affiliation Number	2840001
State	GOA
District	GOA (SOUTH)
Postal Address	CANACONA SOUTH GOA GOA
Pin Code	403702
Phone No. with STD Code	0832
	Office 644181
	Residence 644181
FAX No	
Email	kannansundaravel49@gmail.com
Website	
Year of Foundation	1987
Date of First Opening of School	
Name of Principal/ Head of Institution	ANIMESH PAL
Sex	
Principal's Educational/Professional Qualifications:	
No of Experience (In Years):	
	Administrative:
	Teaching:
Status of The School	Senior Secondary Level
Type of affiliation	
Affiliation Period	From : 01/04/2022 To : 31/03/2027
Name of Trust/ Society/ Managing Committee	NAVODAYA VIDYALAYA SAMITI

*Smt. Asha*  
*Keep in the*  
*CBSE file*  
*RF*  
*28/3/2022*



**Government of Goa,  
Office of the Executive Engineer,  
Division XIX, (Buildings),  
PWD, Sanguem – Goa**

No. PWD/F.1016/Adm/Div XIX (Bldg)/2023-24/386 Date:- 18/09/2023.

To,  
The Principal,  
Jawahar Navodaya Vidhyalaya,  
Canacona - Goa.

Sub: - Request for issuance of Building Safety Certificate for CBSE  
Saras Portal

Sir,

Please find enclosed herewith the structural report of the structure at Jawahar Navodaya Vidhyalaya, Canacona furnished by Executive Engineer, Works Division – XI (QC), Patto, Panaji vide dated 16/09/2023.

As per the report, all the structures at the above campus on prima facie are appears to be in good condition and stable of occupancy.

Yours faithfully,

Executive Engineer 18/9/23  
WD XIX(Bldgs), PWD Sanguem-Goa

Encl: As above.

- Copy to:- 1) The Executive Engineer, WD XI(XI), PWD, Patto, Panaji – Goa .....for information.  
2) The Assistant Engineer, Sub. Division – III/WD XIX, Canacona – Goa.  
3) Concerned file  
4) Guard file



Government of Goa,  
Office of the Assistant Engineer,  
SD.I,DIV.XVI (QC) ,  
Public Works Department,  
Aquem Margao- Goa,  
Dated:- 16 /09/2023

## REPORT

**SUB: Request for issuance of Building safety Certificate for CBSE Saraf Portal.**


Ref. No :- PWD/F.1016/Admn/Div. XIX (Bldg)/2023-24/381, Dt. 18/09/2022.  
Date of Inspection :- 16/09/2023

The Government Jawahar Navodaya Vidyalay structure at mastimol Canacona, South-Goa is approx. 34 years old and the area of the structure is 6320.00sq.m as informed by the principal school.

The said structure was inspected along with the principal of the school, observed that structure is R.C.C,G+1 floors framed structure.

The observations are as under;

- .. The said structure is RCC framed structure ,No distress/serious cracks have been observed.
- . The roof of the structure is sloping R.C.C slab covered with mangalore tiles.
- .On visual inspection, the structure is appears to be relatively in good condition .

  
Assistant Engineer

  
Executive Engineer



Government of Goa  
Directorate of Fire & Emergency Services

South Zone, Margao,  
Goa - 403601 - India



File No.: DFES/DYSOU/2023/5

Date : 03-11-2023

**Sub:-** Uses of places and trades for purpose involving risk from fires. Regarding Issue of Initial No Objection Certificate to JAWAHAR NAVODAYA VIDYALAYA, 272/3 NAGORCEM-PALOLEM Canacona Developed by JAWAHAR NAVODAYA VIDYALAYA CANACONA SOUTH GOA, JAWAHAR NAVODAYA VIDYALAYA Mastimol, Canacona, Canacona, GOA

**Ref:-** Application No. FES2305180 dated 11-Sep-2023

With reference to the above, this office has no objection to the proposed building of M/s. Jawahar Navodaya Vidyalaya, Survey No. 272/3, Nagorcem Palolem Canacona, South Goa, for implementing Fire Protection measures subject to Compliance of the conditions agreed by you vide undertaking dated: 01.11.2023.

The No Objection given is specified to Architectural and Fire Protection plan submitted to this department. Any changes other than as per the plans submitted and the recommendation given by this office, will need prior approval from this Directorate.

The Final No Objection Certificate be obtained from this office on satisfactory compliance of fire and safety requirements within one year as stipulated in the Annexure .

To,  
The Principal  
M/s. JAWAHAR NAVODAYA VIDYALAYA  
Survey No. 272/3, Nagorcem Palolem Canacona, South Goa, GOA

**RAJENDRA ANANT  
HALDANKAR**

Digitally signed by RAJENDRA  
ANANT HALDANKAR

Date: 2023.11.03 15:18:53  
+05'30'

Phone Nos.: +91 (832) 2714600  
Fax No.: +91 (832) 2422958  
[www.dfes.goa.gov.in](http://www.dfes.goa.gov.in)  
Email: [mrg-fire.goa@gov.in](mailto:mrg-fire.goa@gov.in)



### ANNEXURE

- a) One set of Architectural Plan (Blueprint Only) consisting of Site Plan, Elevation Plan, Section Plan & all Floor Plans, duly approved by Town & Country Planning Department or Planning & Development Authority.
- b) One set of Fire Protection Plan indicating the Fire Prevention & Fire Fighting Provisions alongwith relevant documents ( Site Plan, Floor wise Plan, Elevation Plan & Section Plan) that are proposed to be incorporated in the Building.
- c) APPROACH FOR FIRE APPLIANCE:-
  - i) Adequate passage way clearance required for the fire fighting vehicles to enter the premises shall be provided at the main entrance, the width of such entrance shall not be less than 4.5 mtrs. If an arch or covered gate is constructed it shall have a clear head room of not less than 5 mtrs.
  - ii) The compulsory open space around the building shall not be used for parking.
- d) Atleast Five Number of External Fire Hydrants conforming to BIS:908 shall be provided in the courtyard premises connected to the water tank preferably of 20,000 liters coupled to suitable Fire Fighting pump capable of maintaining pressure of not less than 7 Kg/cm<sup>2</sup> with 63 mm single outlet with two numbers of Delivery hoses and Branch pipe in each Hose box.
- e) The Hose Reel Hose confirming to IS:884/1985 should be provided in the premises which should be coupled to Fire Fighting Pump capable of maintaining a pressure of not less than 3Kg/cm<sup>2</sup> on each floor of building in such a way as not to reduce the width of the corridor and no part of the floor is more than 6 mtrs. away from the nozzle when fully extended.

f) **FIRE PUMP :-**

- i. Hydrant system shall be connected to an Electric Fire pump capable of delivering 450 liters/min. of water at ground level at a pressure of not less than  $3.5 \text{ Kg/cm}^2$ .
- ii. Another electric Pump of 180 ltrs/min. shall be provided.
- iii. Electric supply to these pumps shall be on independent circuit.

g) The type & distribution of First Aid Fire fighting appliances in the premises shall be in accordance with good practice as per BIS: 2190/2010. There shall be two Fire Points recessed to the wall 0.9 mtr. above floor comprising of Carbon-di-Oxide extinguisher 4.5kgs capacity and ABC Type Fire extinguisher 4 kgs capacity. All extinguishers shall confirm to BIS:15683/2006.

h) **LPG BANK:-** Liquefied Petroleum Gas (L.P.G) cylinders shall not be stored & used individually in the room designated for Kitchen in the building. The L.P.G. pipeline installation shall be connected to the L.P.G cylinders shall be stored in the Gas Bank constructed on the ground floor of the building and shall conform to IS:6044 (Part-I). The LPG Bank shall be provided with L.P.G leak detectors. The layout and design of L.P.G Bank installation shall be submitted to this office for approval

i) **ALTERNATE SOURCE OF POWER SUPPLY:-** Independent Secondary Circuit fed by Secondary source of Power supply with appropriate change over switch shall be provided for the Fire systems in the school building.

j) **DIRECTIONAL FIRE EXIT SIGN:-** The Fire Safety Signage's and Emergency Escape Signage's shall be installed at the appropriate places on all floor of the school building as per the specimen and size enclosed in Annexure "B".

- k) **"NO SMOKING"** Board shall be prominently displayed.
- l) The school premises shall be equipped & maintained as to avoid danger to life and safeties of the occupants from fire, smoke, fumes or panic during the time period necessary for escape. Every exit shall be maintained free of all obstructions.
- m) Teachers should be trained in conducting Fire drills and Evacuation Drill in emergencies.
- n) Fire action sticker indicating what is to be done in case of Fire needs to be pasted at various prominent locations indicating emergency telephone numbers.
- o) Fire drills should be conducted at least once in 6 months in the school in consultation with the Fire department in preparing students for orderly evacuation during eventuality.
- p) No cooking of any type shall be allowed in the school premises other than in designated common kitchen area
- q) Assembly point in case of emergency should be displayed at the prominent location in the premises.
- r) The staff should be trained in handling, usage and maintenance of First Aid Fire Extinguisher and Fire Fighting system installed in the premises.
- s) Further you have to submit the total built-up area of the premises so as to remit the licence fee as per the Govt. Notification No.3/7/85-HD(G)Vol-II, dated; 18.05.2010.

Government of Goa,  
Directorate of Education,  
Panaji - Goa.

Dated:- 20 / 4 / 2000

O R D E R

Sanction of the Government is hereby conveyed for the transfer of land admeasuring 63,200 sq.mts. situated at village Nagarcon, Palolem in Canacona Taluka to Navodaya Vidyalaya Samities for starting Navodaya Vidyalaya in Goa as per details shown below :-

Land Sr.No.	Survey No.	Sub-Div	Area
1.	267	2 part	2,000 sq.mts.
2.	268	3 part	4,000 sq.mts.
3.	269	2 part	3,550 sq.mts.
4.	269	3 part	3,200 sq.mts.
5.	269	4 part	1,600 sq.mts.
6.	272	1 part	11,900 sq.mts.
7.	272 ✓	3 part ✓	33,050 sq.mts.
8.	273	1 part	3,700 sq.mts.
			<u>63,200 sq.mts.</u>

INWARD NO. 988  
DATE 27/4/2000  
INITIALS S

By order and in the name of the  
Governor of Goa

Rinku Dhugga  
(Rinku D. Khirwar)  
Director of Education & (Ex-Officio)  
Joint Secretary to the Govt. of Goa.

Copy to:-

1. The Director of Accounts, Directorate of Accounts, Panaji-Goa.
2. The Sr.Dy.Accountant General, Audit, Panaji.
3. The Deputy Director, MVE, Pune Region, Pune.
4. The Collector & D.Magistrate south Goa, Margao Goa.
5. The Principal, Jawahar Navodaya Vidyalaya, Canacona, south-Goa.
6. The Under Secretary (Rev.), Revenue Dept., Secretariat, Panaji
7. The Director of Settlement & Land Records, Panaji.
8. The Order file.
9. The Guard file.



### SELF - CERTIFICATION FORMAT

#### Category of application : Section increase

We (i) ANIMESH PAL (Principal) of the school JAWAHAR NAVODAYA VIDYALAYA certify that :

1. The following uploaded documents are genuine and valid
  - \* Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
  - \* Approval letter issued by appropriate Govt authority : DEPUTY COMMISSIONER
  - \* Fire Safety Certificate No.: DFES/DDF(SZ)/RECO/2021-22
  - \* Fire Safety Certificate Issuing Authority : DEPUTY DIRECTOR FIRE
  - \* Fire Safety Certificate Expiry Date: 31/03/2024
  - \* Building Safety Certificate No.: PWD19/SDIII/O.F40/2021-22
  - \* Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : ASSISTANT ENGLINEER III
  - \* Building Safety Certificate Expiry Date: 31/03/2024
2. The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3. That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4. That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation

Names and Signature(s) : **Animesh Pal.**



प्राचार्य / PRINCIPAL

Principal जवाहर नवोदय विद्यालय

JAWAHAR NAVODAYA VIDYALAYA

कानकोना दक्षिण गोवा

CANACONA, SOUTH GOA

Date :29/08/2023

Place : GOA (SOUTH) , GOA



CERTIFICATE OF REGISTRATION

SOCIETIES ACT XXI OF 1860

No. S/10428

Of 1989

I hereby certify that Navodaya Vidyalaya Samiti has been registered under the SOCIETIES REGISTRATION ACT XXI OF 1860.

GIVEN UNDER BY HAND AT DELHI on this 28th day of Feb., 86.

REGISTRATION FEE OF RS. 50/- PAID.



REGISTRAR OF SOCIETIES  
DELHI

REGISTRAR OF SOCIETIES  
DELHI ADMN., DELHI

*gln*  
Dy. Collector & SDC  
Ganacona - Goa  
CHAIRMAN VMO  
Jawahar Navodaya Vidyalaya  
GANACONA SOUTH - GOA



**Water Testing Laboratory**  
5 MLD Water Treatment Plant  
WTP SD I, Works Division XX  
Public Works Department  
Sriesthal, Canacona - Goa 403702

**TEST REPORT**

Test Report No.: 65

Report Date : 02/08/2023

1. Name and Address of the Customer	Jawahar Navodaya Vidyalaya Samiti, Canacona Goa				
2. Nature of Sample	TAP WATER				
3. Place of Collection	CANACONA GOA				
4. Date & Time of Sample Collection	25-07-2023				
5. Quantity of Sample Received	1 LITRE				
6. Sample Received On	25-07-2023				
7. Sample Analysed By	LABORATORY TECHNICIAN				
8. Date of Start of Analysis	25-07-2023				
9. Quality Standards	IS 10500 : 2012				
Sr. No.	Parameters	Units	Test Procedure Reference	Result	Permissible limits as per IS 10500 : 2012
1	2	3	4	5	6

**Physical Analysis**

1	Colour	CU	IS 3025 ( Part 4 )	NIL	5
2	Odour	--	IS 3025 ( Part 5 )	Agreeable	Agreeable
3	Taste	--	IS 3025 ( Part 8 )	Agreeable	Agreeable
4	Turbidity	(NTU)	IS 3025 (Part 10)	2.3	5
5	pH	--	IS 3025 (Part 11)	7.08	6.5 to 8.5

**Chemical Analysis**

6	Total Dissolved Solids	mg/L	IS 3025 (Part 16)	26.75	500
7	Total Hardness as CaCO <sub>3</sub>	mg/L	APHA 23 <sup>rd</sup> Edition	19	200
8	Calcium as Ca ++	mg/L	APHA 23 <sup>rd</sup> Edition	4	75
9	Magnesium as Mg ++	mg/L	APHA 23 <sup>rd</sup> Edition	2.25	30
10	Chlorides as Cl <sup>-</sup>	mg/L	IS 3025 (Part 32)	9	250
11	Total Alkalinity as CaCO <sub>3</sub>	mg/L	IS 3025 (Part 23)	18	200
12	E-Coli	MPN		NIL	NIL

**Disclaimer :**

- 1 The results refer only to the tested samples and applicable parameters.
- 2 Remnant samples will be discarded after 15 days from the date of issue of test report unless otherwise specified.
- 3 This report is not to be reproduced wholly or in part nor used in any advertising /media without the permission from the Office of laboratory in writing.
- 4 The laboratory is not responsible for the authenticity for the samples not collected by the laboratory officials.
- 5 Permissible range mentioned in column 6 against each parameter is indicative as per IS 10500:2012 - Indian Standards for Drinking water Specification (second revision); Customer is advised to make own interpretations based on reference standard on reported values in this report.

Approved By :

Authorised By :

*(Anal. Chemist)*

**Assistant Engineer**  
WTP, Sub Division I, Works Division XX  
(PHE) Public Works Department  
CANACONA - GOA